http://zoobank.org/urn:lsid:zoobank.org:pub:44E570AF-4B50-49DE-8E24-AFD6E60E7B7E

Correspondence

The tiny flower fairies *Neocypholaelaps indica* Evans, 1963 (Acari: Ameroseiidae)

OING-HAI FAN¹ & FAN JIANG²

Neocypholaelaps indica Evans, 1963 is the resident of flowers. It is one of the twenty known species of the genus Neocypholaelaps (De Moraes & Narita 2010). This species was found on more than thirty four kinds of flowers and also on the visitors of the flowers, such as bees, butterflies and flies. Four species of honey bees, Apis cerana, A. dorsata, A. florea and A. mellifera are known in association with this mite species (Eickwort 1988).

Evans (1963) originally described this species from Apis cerana in India. It is now distributed in Asia, North Africa and East Europe: China (Mainland: Teng & Pan 1964; Taiwan Island: Lo & Chao 1975), Egypt (Senna 1997), Korea (Woo & Lee 1993), Nepal (Baker & Delfinado 1976), Pakistan (Shafi 1986), Sri Lanka (Koeniger et al. 1983) and Russia (Grobov 1974).

Neocypholaelaps indica completes its life cycle in flowers. Pollen is the main nutrition source for them and nectar may also be used to survive. Usually all life stages, egg, larva, protonymph, deutonymph and adult, are present in a flower (Cover photo, bottom left and right). The adult females disperse with the aid of bees and other flower visitors (Cover photo, top left and right). They are often seen in bee hives in very large numbers in flowering seasons. We collected female mites from both European bee Apis mellifera (Plate 1. left) and Asian bee A. cerana (Plate 1. right) in mid-April in Fuzhou, China. Seventy females were counted from a single Asian bee and one to a dozen of females were found in pollen granules collected by bees.



PLATE 1. Left: Neocypholaelaps indica on the thorax of Apis mellifera on a flower of Rhododendron sp.; Right: Neocypholaelaps indica on the thorax of Apis cerana on a flower of Camellia sinensis (Photograph: F. Jiang).

 $^{^{1}\} Plant\ Health\ \&\ Environment\ Laboratory,\ Ministry\ for\ Primary\ Industries,\ Auckland,\ New\ Zealand.$ E-mail: qinghai.fan@mpi.govt.nz

 $^{^2}$ Key Laboratory of Integrated Pest Management for Fujian-Taiwan Crops, Ministry of Agriculture; Fujian Agriculture and Forestry University, Fuzhou 350002, China

References

- Baker, E.W. & Delfinado, M.D. (1976) Notes on the bee mite *Neocypholaelaps indica* Evans, 1963. *American Bee Journal*, 116(8), 384 & 386.
- De Moraes, G.J. & Narita, J.P.Z. (2010) Description of a new species of *Neocypholaelaps* (Acari: Ameroseiidae) from Brazil, with a key to the world species. *Zootaxa*, 2554, 37–44.
- Eickwort, G.C. (1988) The origins of mites associated with honey bees. In: Needham G.R., Page R.E., Delfinado-Baker M. & Bowman C.E. (Eds.), *Africanized Honey Bees and Bee Mites*, Ellis Horwood, Chichester, pp. 327–338.
- Evans, G.O. (1963) The genus *Neocypholaelaps* Vitzthum (Acari: Mesostigmata). *Annals and Magazine of Natural History*, ser. 13, 6(64), 209–230. http://dx.doi.org/10.1080/00222936308651345
- Grobov, O.F. (1974) Gamasoid mites as parasites of bees. Veterinariya, Moscow, USSR, 8, 78-82.
- Koeniger, N., Koeniger, G. & Delfinado-Baker, M. (1983) Observations on mites of the Asian honeybee species (*Apis cerana*, *Apis dorsata*, *Apis florea*). *Apidologie*, 14(3), 197–204.
- Lo, K.C. & Chao, R.S. (1975) Preliminary investigations on bee mites in Taiwan. *Journal of Agricultural Research of China*, 24(1/2), 50–56.
- Senna, F.M.A. (1997) A new record of phoretic mites on honey bee *Apis mellifera* L. in Egypt. *Journal of the Egyptian Society of Parasitology*, 27(3), 667–680.
- Shafi, M. (1986) Pest and disease records. Pakistan. A new mite pest of hive bees. *Quarterly Newsletter, Asia and Pacific Plant Protection Commission*, 29(3), 31.
- Teng, K.-F. & Pan, Z.-W. (1964) An ameroseiid mite—Neocypholaelaps indica Evans from Apis mellifera [honey bee]. Acta Entomologica Sinica, 13(5), 771–772.
- Woo, K.S. & Lee, J.H. (1993) A study on the mites inhabiting beehives in Korea. I. *Korean Journal of Apiculture*, 8(2), 140–156.

Accepted by Zhi-Qiang Zhang: 1 May 2014; published 27 Jun. 2014